



# SAFETY DATA SHEET

Product Name: Clean Power

Page: 1 of 9

This revision issued: June, 2024

# Section 1 - Identification of The Material and Supplier

aiMix Chemicals Pty Ltd

52-54 Power St

St Marys, NSW 2760

Phone: 0432388640 (24 hours)

Email: qc@aimixchemicals.com.au

**Chemical nature:** Blend of alkaline salts and other minor ingredients.

Trade Name: Clean Power

**Product Use:** Heavy duty commercial oven cleaner.

Creation Date: August, 2005

This version issued: June, 2024 and is valid for 5 years from this date. Poisons Information Centre: Phone 13 1126 from anywhere in Australia

### Section 2 - Hazards Identification

This product is classified as Hazardous according to the criteria of SWA Australia.



### **GHS7 Signal word:**

Danger.

#### **HAZARD CLASSIFICATIONS:**

Corrosive to Metals (Category 1)

Skin corrosion/irritation (Category 1B)

Serious eye damage/eye irritation (Category 1)

Specific target organ toxicity - single exposure (Category 3), Respiratory system

### **HAZARD STATEMENT:**

H314 Causes severe skin burns and eye damage.

H290 May be corrosive to metals.
H335 May cause respiratory irritation.
H402: Harmful to aquatic life due to high pH

**PREVENTION** 

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust, fume, gas, mist, vapours or spray.

P264 Wash hands, face and all exposed skin thoroughly after handling.

P280 Wear protective gloves/protective clothing including eye/face protection.

**RESPONSE** 

P101 If medical advice is needed, have product container or label at hand.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

**SAFETY DATA SHEET** 

Issued by: aiMix Chemicals Pty Ltd Phone: 0432388640 (24 hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Product Name: Clean Power Page: 2 of 9

This revision issued: June, 2024

P310 Immediately call a POISON CENTER/doctor/insert appropriate source of emergency

medical advice.

P363 Wash contaminated clothing before reuse.

**STORAGE** 

P402+P404: Store in a dry place. Store in a closed container. P403+P235: Store in a well-ventilated place. Keep cool.

**DISPOSAL** 

P501 Dispose of contents/container in accordance with local, regional, national and

international regulations

Poison Schedule: S5. Caution

DANGEROUS GOOD CLASSIFICATION Classified as Dangerous Goods by the criteria of the

"Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

**Dangerous Goods Class**: 8

**Section 3 - Composition/Information on Ingredients** 

Ingredients	CAS No	Conc,%
Sodium Metasilicate Pentahydrate	10213-79-3	<70%
Sodium carbonate	497-19-8	<20%
Modified Sodium Disilicate	1344-09-8	<10%
Other non hazardous ingredients	-	to 100

# **Section 4 - First Aid Measures**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

**Inhalation**: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin Contact**: If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If swelling, redness, blistering or irritation occurs seek medical assistance. For gross contamination, immediately drench with water and remove clothing. Continue to flush skin and hair with plenty of water (and soap if material is insoluble). For skin burns, cover with a clean, dry dressing until medical help is available. If blistering occurs, DO NOT break blisters. If swelling, redness, blistering, or irritation occurs seek medical assistance.

**Eye contact**: Immediately irrigate with copious quantities of water for 15 minutes. Eyelids to be held open. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport to hospital or medical centre.

**Ingestion**: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

**PPE for First Aiders**: Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final

## **SAFETY DATA SHEET**

Issued by: aiMix Chemicals Pty Ltd Phone: 0432388640 (24 hours)

Product Name: Clean Power Page: 3 of 9

This revision issued: June, 2024

assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Notes to physician**: Treat symptomatically. Can cause corneal burns.

**Section 5 - Fire Fighting Measures** 

Hazchem Code: 2X

**Suitable extinguishing media**: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

**Specific hazards**: Non-combustible material.

**Fire fighting further advice**: Not combustible, however following evaporation of aqueous component residual material can burn if ignited.

### **Section 6 - Accidental Release Measures**

#### LARGE SPILLS:

In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask. Use a P1 mask, designed for use against mechanically generated particles eg silica & asbestos. **SMALL SPILLS**:

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Contaminated area may be neutralised by washing with weak or dilute acid. Vinegar, citrus juice and most soft drinks may be suitable. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Dangerous Goods - Initial Emergency Response Guide No: 37

# **Section 7 - Handling and Storage**

### Handling:

Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

#### Storage:

This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Keep containers dry and away from water. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

Product Name: Clean Power Page: 4 of 9

This revision issued: June, 2024

# **Section 8 - Exposure Controls and Personal Protection**

SWA Exposure Limits	TWA (mg/m³)		STEL (mg/m³)	
	ppm	mg/m3	ppm	mg/m3
Inspirable dust	_	10	-	_

**TWA** - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

**STEL** (Short Term Exposure Limit) - the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

**Biological Limit Values**: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

**Engineering Measures**: Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Avoid generating and inhaling dusts. Use with local exhaust ventilation or while wearing dust mask.

Personal Protective Equipment: Safety Boots, Apron, Gloves, Safety Glasses, Dust Mask











Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

Wear safety shoes, overalls, gloves, safety glasses, dust mask. Available information suggests that gloves made from nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or reusing.

**Hygiene measures**: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of dust. Ensure that eyewash stations and safety showers are close to the workstation location.

# **Section 9 - Physical and Chemical Properties:**

Physical Description & colour: White free flowing powder.

Odour: No fragrance. Boiling Point: Not available.

Freezing/Melting Point:

Volatiles:

No specific data. Solid at normal temperatures.

No specific data. Expected to be low at 100°C.

Vapour Pressure:

Negligible at normal ambient temperatures.

Vapour Density: No data.

### **SAFETY DATA SHEET**

Issued by: aiMix Chemicals Pty Ltd Phone: 0432388640 (24 hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Product Name: Clean Power

Page: 5 of 9

This revision issued: June, 2024

**Specific Gravity:** No data. **Water Solubility:** No data.

**pH**: pH of 1% solution is 11.5 – 12.5

**Volatility:** Negligible at normal ambient temperatures.

Odour Threshold: No data.

Evaporation Rate: No data.

Coeff Oil/water Distribution: No data

**Autoignition temp:** Not applicable - does not burn.

# **Section 10 - Stability and Reactivity**

### Reactivity:

This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

### **Conditions to Avoid:**

Containers should be kept dry.

### Incompatibilities:

water, acids, oxidising agents.

# **Fire Decomposition:**

Only small quantities of decomposition products are expected from this products at temperatures normally achieved in a fire. Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Oxides of sulfur (sulfur dioxide is a respiratory hazard) and other sulfur compounds. Most will have a foul odour. Water. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

### **Polymerisation:**

This product will not undergo polymerisation reactions.

Product Name: Clean Power Page: 6 of 9

This revision issued: June, 2024

# **Section 11 - Toxicological Information**

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

**Acute Effects** 

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin will result in severe irritation. Corrosive to skin - may cause skin

burns.

Ingestion: Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and chemical

burns to the gastrointestinal tract.

Eye contact: A severe eye irritant. Corrosive to eyes: contact can cause corneal burns.

Contamination of eyes can result in permanent injury. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the

eyes.

**Acute toxicity** 

Inhalation: This material has been classified as not hazardous for acute inhalation exposure.

Acute toxicity estimate (based on ingredients): LC50 > 5.0 mg/L for dust.

Skin contact: This material has been classified as not hazardous for acute dermal exposure. Acute

toxicity estimate (based on ingredients): LD50 > 2,000 mg/Kg bw

Ingestion: This material has been classified as not hazardous for acute ingestion exposure.

Acute toxicity estimate (based on ingredients): LD50 > 2,000 mg/Kg bw

Corrosion/Irritancy:

Eye: this material has been classified as a Category 1 Hazard (irreversible effects to eyes).

Skin: this material has been classified as a Category 1C Hazard (irreversible effects to

skin).

Sensitisation:

Inhalation: this material has been classified as not a respiratory sensitiser.

Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as not an aspiration hazard. Specific target organ

toxicity (single exposure): This material has been classified as not a specific hazard

to target organs by a single exposure.

**Chronic Toxicity** 

Mutagenicity: This material has been classified as not a mutagen.

Carcinogenicity: This material has been classified as not a carcinogen

Reproductive toxicity (including via lactation): This material has been classified as not a reproductive

toxicant.

Specific target organ toxicity (repeat exposure): This material has been classified as not a specific hazard to

target organs by repeat exposure

SAFETY DATA SHEET

Product Name: Clean Power Page: 7 of 9

This revision issued: June, 2024

# **Section 12 - Ecological Information**

Avoid contaminating waterways.

**Acute aquatic hazard**: This material has been classified as not hazardous for acute aquatic exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L Salts, acids and bases are typically diluted and neutralised when released to the environment in small quantities. However, until diluted or neutralised it will kill all aquatic organisms it contacts due to extreme pH.

**Long-term aquatic hazard:** This material has been classified as not hazardous for chronic aquatic exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log Kow < 4.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Bioaccumulative potential: No information available.

Mobility: No information available.

# **Section 13 - Disposal Considerations**

**Disposal:** Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS. If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

# **Section 14 - Transport Information**

### **ROAD AND RAIL TRANSPORT**

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".



UN No: 3253
Dangerous Goods Class: 8
Packing Group: III
Hazchem Code: 2X
Emergency Response Guide No: 37
Limited Quantities 5 kg

Proper Shipping Name: DISODIUM TRIOXOSILICATE

### Segregation Dangerous Goods:

Not to be loaded with explosives (Class 1), dangerous when wet substances (Class 4.3), oxidising agents (Class 5.1), organic peroxides (Class 5.2), radioactive substances (Class 7) or food and food packaging in any quantity. Note 1: Concentrated strong alkalis are incompatible with concentrated strong acids. Note 2: Concentrated strong acids are incompatible with concentrated strong alkalis. Note 3: Acids are incompatible with Dangerous Goods of Class 6 which are cyanides. Exemptions may apply.

### SAFETY DATA SHEET

Issued by: aiMix Chemicals Pty Ltd Phone: 0432388640 (24 hours)

**Product Name: Clean Power** 

Page: 8 of 9

This revision issued: June, 2024

#### MARINE TRANSPORT

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG

Code) for transport by sea.



UN No: 3253 **Dangerous Goods Class:** 8 Packing Group: Ш

Proper Shipping Name: DISODIUM TRIOXOSILICATE

#### **AIR TRANSPORT**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.



UN No: 3253 **Dangerous Goods Class:** 8 Packing Group: Ш

Proper Shipping Name: DISODIUM TRIOXOSILICATE

# **Section 15 - Regulatory Information**

# This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

International Convention for the Prevention of Pollution from Ships (MARPOL)

#### This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): S5. Caution.

#### **AICIS Status:**

All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC).

### **Section 16 - Other Information**

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

**ADG Code** Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th Edition

**AICS** Australian Inventory of Chemical Substances **CAS Number** Chemical Abstracts Service Registry Number

**Hazchem Code** Emergency action code of numbers and letters that provide information to emergency

services especially firefighters

## SAFETY DATA SHEET

Issued by: aiMix Chemicals Pty Ltd Phone: 0432388640 (24 hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Product Name: Clean Power

Page: 9 of 9

This revision issued: June, 2024

IARC International Agency for Research on Cancer
SWA Safe Work Australia, formerly ASCC and NOHSC

NOS Not otherwise specified

NTP National Toxicology Program (USA)

R-Phrase Risk Phrase

SUSMP Standard for the Uniform Scheduling of Medicines & Poisons

**UN Number** United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA GHS7